CPMG / KA / BG-GPO/13/2003-2005

ವಿಶ್ವಮಾನವ ವರ್ಷ



ಕರ್ನಾಟಕ ರಾಜ್ಯಪತ್ರ

ಅಧಿಕೃತವಾಗಿ ಪ್ರಕಟಿಸಲಾದುದು

ಸಂಪುಟ ೧೩೯	ಬೆಂಗಳೂರು, ಗುರುವಾರ, ಜುಲೈ ೧೫, ೨೦೦೪ (ಆಷಾಢ ೨೪, ಶಕ ವರ್ಷ ೧೯೨೬)	ಸಂಚಿಕೆ ೨೯

ಭಾಗ – ೪

ಕೇಂದ್ರದ ವಿಧೇಯಕಗಳು ಮತ್ತು ಅವುಗಳ ಮೇಲೆ ಪರಿಶೀಲನಾ ಸಮಿತಿಯ ವರದಿಗಳು, ಕೇಂದ್ರದ ಅಧಿನಿಯಮಗಳು ಮತ್ತು ಅಧ್ಯಾದೇಶಗಳು, ಕೇಂದ್ರ ಸರ್ಕಾರದವರು ಹೊರಡಿಸಿದ ಸಾಮಾನ್ಯ ಶಾಸನಬದ್ಧ ನಿಯಮಗಳು ಮತ್ತು ಶಾಸನಬದ್ಧ ಆದೇಶಗಳು ಮತ್ತು ರಾಷ್ಟ್ರಪತಿಯವರಿಂದ ರಚಿತವಾಗಿ ರಾಜ್ಯ ಸರ್ಕಾರದವರಿಂದ ಪುನಃ ಪ್ರಕಟವಾದ ಆದೇಶಗಳು.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 82 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್ 13 ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.577 (Notification No. F.No.WM-21(72)/2000) ದಿನಾಂಕ:11.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 11th February, 2004

S.O. 577: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures act, 1976 (60 to 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by the third proviso to Sub-section (3) and Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the "Model Positive Displacement Meter of C-35" series belonging to accuracy class 0.3 (hereinafter referred to as the said model), manufactured by M/s Teletech Instrumentation Private Limited, 28/48, Khardi, Off. Nagar Road, Pune-411014 and which is assigned the approval mark IND/13/2003/539;

Sealing: Calibration box cover is sealed with the help of wire seal affixed on the calibration box cover. A stainless stamping plate provided on the terminal box everwhere the verification stamp may be fixed.



The model (see the figure given above) is a positive displacement meter of nominal size of 40mm. The tested model is having flow range of 35 to 350 liters per minute. Range of viscosity of liquid measured is 0.5 CST to 200 CST. The maximum working pressure is 10.54 kg/cm^2. The minimum measurable quantity is 100 liters. The meter is used for measurement of batching, blending and dispensing in chemical, Petroleum, Pharmaceutical, paints, solvent, process industries and other fields, contain filling, tank truck/rail wagon loading automation and data acquisition systems.

[F.No. WM-21 (72)/2001]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 72

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 81 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 7/13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 576 (Notification No. F.No. WM-21(133)/2000) ದಿನಾಂಕ:10.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


MINISTRY OF CONSUMER AFFAIRS, FOOD AND PUBLIC DISTRIBUTION
(Department of Consumer Affairs)
New Delhi, the 10th February, 2004

S.O. 576: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of the self-indicating, non-automatic (Platform steel yard type) weighing instrument with analogue indication of "LWB" series of Medium accuracy (Accuracy class III) and with brand name "ATLAS" (herein referred to as the said model), manufactured by M/s T.T.C. Weighing Systems Pvt. Ltd., 33/1, N.S.C. Road, (Room No. 30) Kolkatta-700001 and which is assigned the approval mark IND/09/2003/378;

The said model (see the figure given below) is a Platform weighting instrument (steel yard type) with a maximum capacity of 1000kg and minimum capacity of 4 kg. The verification scale interval (c) is 200 g;

Seal: In addition to sealing the stamping plate, sealing may also done on other vital parts like balancing ball etc. to prevent this opening for fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model is be cover the other

weighing instruments of same accuracy class and of same make with maximum capacity above 50 kg and upto 5000 kg and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 10g. or more and with 'e' value $1x10^k$, $2x10^k$ or $5x10^k$,k being the positive or negative whole number or equal or to zero, manufactured by the same manufacturer with the same principle, design, and with the same materials with which, the said approved model has been manufactured.

F.No. WM-21(133/2000)
P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 73

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 85 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 16ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 596 (Notification No. F.No. WM-21(27)/2002) ದಿನಾಂಕ:16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 5th March, 2004

S.O. 596: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of a counter machine with brand Name "L.N.D." (herein referred to as the Model), manufactured by M/s Luhar Naran Devraj, Shivaji Nagar, Savarkundla-364 515 and which is assigned the approal mark IND/09/2003/479;

The said Model (See the figure given below) is a counter machine. Its maximum capacity is 10kg.



Further, in exercise of the powers conferred by Sub-section (12) of the said Section, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 500g. to 50kg., manufactured by the same manufacturer in accordance with the same principle, design accuracy and with the same materials with which the approved Model has been manufactured.

[F.No. WM-21(27)/2002]
P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 74

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 100 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 589 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ:16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 589: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the Provisions of the standards of weights and Measures Act, 1976 (60 of 1976) and the Standards of weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "DJ series of Special, accuracy (Accuracy class I) and with brand name "SHINKO" (hereinafter referred to as the model), manufactured by M/s Shinko Deshi Co. Limited, Japan and Marketed by M/s Citizen scales (1) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/418;

The said model (See figure given above) is a weighing instrument with a maximum capacity of 3000g and minimum capacity of 1g. The verification scale interval (e) is 10 mg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing shall also be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, and performance of same series with maximum capacity upto 50 kg and with number of verification scale interval (n) not less than 50,000 ($\geq$50,000) and with 'e' value of 1mg or more and with 'e' value $1x10^k$,$2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 75

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 96 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 582 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ:16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 582: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below) is in conformity with the provisions of the Standards of weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "CG" series of high accuracy (Accuracy class II), and with brand name "SHINKO" (herein referred to as the model), manufactured by M/s Shinko Denshi Co. Limited, Japan and Markted by M/s Citizen Scales (1) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/411;

The said model (see figure given below) is a weighing instrument with a maximum capacity of 620g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50 mg and with number of verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100mg. or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 76

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 91 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 601 (Notification No. F.No. WM-21(42)/97) ದಿನಾಂಕ:05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi the 5th March, 2004

S.O. 601: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issue and publishes the certificate of approval of the model of the self-indicating, non-automatic (Multi load cell type weigh bridge) weighing instrument with digital indication of "Endeavour" series of medium accuracy (Accuracy class-III) and with brand name "Endeavour" (herein referred to as the Model), manufactured by M/s Endeavour Instruments Pvt. A-1, Anand Chambers, Near High Court, Navrangpura, Ahmedabad-382350 Gujarat and which is assigned the approval mark IND/09/2003/461;

The said Model (figure given below) is a multi load cell based weigh bridge type weighing instrument with a maximum capacity of 30 tonne and minimum capacity of 100kg. The verification scale interval (e) is 5 kg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting diode display indicates the weighing result. The instruments operates on 230 V, 50 Hz alternate current power supply;

Sealing: In addition to sealing stamping plate, sealing is done to prevent the opening machine for fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of the said Section the Central Government hereby declares that this certificate of approval of the Model shall also cover the weighing instrument of similar make, design, accuracy and performance of same series with maximum capacity ranging between 5 tonne and 50 tonnes and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 1kg. or more and with 'e' value $1x10^k$, $2x10^k$ or $5x10^k$, k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(42)97]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 77

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 98 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 588 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 588: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "BL" series of Special accuracy (Accuracy class I), and with brand name "SHIMADZU" (herein referred to as the said model), manufactured by M/s Shimadzu Corporation Limited, Japan, and Marketed by M/s Citizen Scales (I) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/417;

The said model (see figure given above) is a weighing instrument with a maximum capacity of 1200g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing shall also be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, and performance of same series with maximum capacity upto 50 kg and with number of verification scale interval (n) not less than 50,000 (>50,000) and with 'e' value of 1mg or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(58)2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 78

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 101 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 590 (Notification No. F.No. WM-21(261)/2002) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 590: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the model of counter machine with brand name "MSW" (herein referred to as the said Model), manufactured by M/s Modern Steel Works, 652, Gali No. 14, Gandhi Chowk, Gaushala Phatak, Gaziabad Uttar Pradesh and which is assigned the approval mark IND/09/2003/511;

The said model (See the figure given below) is a counter machine. The maximum capacity is 10kg.



Further, in exercise of the powers Conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the counter machine of similar make, accuracy and performance of same series with maximum capacity from 500g up to 50kg, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(261)2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 79

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 83 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 599 (Notification No. F.No. WM-21(268)/2001) ದಿನಾಂಕ: 05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 5th March, 2004

S.O. 599: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "CM 200 IT" series of medium accuracy (accuracy class-III) and with brand name "CMMC" (herein referred to as the said Model), manufactured by M/s Calcutta Manufacturing Co., 8/H/1, Rammohan Bera Lane, Kolkata-700 046 and which is assigned the approval mark IND/09/2003/585;

The said model (See the figure given below) is a strain gauge load cell based type weighing instrument with a maximum capacity of 5kg. and minimum capacity of 20g. The verification scale interval (e) is 1g. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instruments operates on 230V, 50 Hertz alternate current power supply;

Sealing: In addition to sealing stamping plate, sealing shall be done to prevent the opening of machine for fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity upto 50kg. and with number of verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100mg. to 2g and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value 1×10^k, 2×10^k or 5×10^k, k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(268)2001]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 80

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ


ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 88 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 591 (Notification No. F.No. WM-21(42)/2002) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 591: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-section (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of conversion kit for converting Automatic Oil Dispenser with digital indication and with brand name "SMART" (herein referred to as the said Model), manufactured by M/s Smart Dispenser Pvt. Ltd., plot No. E-187, G.I.D.C. Electronic Estate, Gandhi Nagar-382028 and which is assigned the approval mark IND/09/2003/216;



The said model is a conversion kit for converting automatic oil dispenser to instrument with digital indication. Its maximum capacity range is from 300 ml to 500 ml with least count of 10ml. It is used for dispensing of lubricating oil in petrol/diesel pumps.

[F.No. WM-21(42)2002]
P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 81

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 84 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 586 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 586: Whereas the Central Government,, after considering the report, submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-section (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "FX" series of Special accuracy (Accuracy class I), and with brand name "AND". (herein referred to as the model), manufactured by M/s AND Co. Limited, Japan, and Marketed by M/s Citizen Scales (I) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/415;

The said model (see figure given above) is a strain gauge typed based range weighing instrument with a maximum capacity of 3100g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The Liquid crystal Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-sections (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) not less than 50,000 ($\geq$50,000) and with 'e' value of 1mg or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 82

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ


ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 80 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 578 (Notification No. F.No. WM-21(191)/2002) ದಿನಾಂಕ: 12.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 12th February, 2004

S.O. 578: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of automatic gravimetric filling machine of "PH-WF" series with brand name "PRASAD-HITECH" (herein referred to as the said Model), manufactured by M/s Prasad Hi-Tech Systems, 8, Sangam Society, Near Padmawati Bridge, Pune-411037 and which is assigned the approval mark IND/09/2003/388;



The Model is a strain gague type load cell based automatic gravimetric filling machine. Its maximum capacity is 2 kg. It has a maximum fill rate of 40 pouches per minute. The machine is designed for filling free flowing products like tea, sugar, rice, seeds, confectionery, biscuits, potato chips, etc.

Further, in exercise of the powers conferred by Sub-section (12) of the said section, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the automatic filling machine of similar make, accuracy and performance of same series with maximum capacity in the range of 5g to 5kg manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which the said approved Model has been manufactured.

[F.No. WM-21(191)2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 83

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ


ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 86 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 597 (Notification No. F.No. WM-21(343)/2002) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 5th March, 2004

S.O. 597: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issue and publishes the certificate of approval of non-automatic (Platform type) weighing instrument with digital indication of "MSPF" series of high accuracy (accuracy class-II) and with brand name "MASTER" (herein referred to as the said model), manufactured by M/s Ace Corporation, 105, Apsara Apartment, Near Apsara Theatre, Gultekdi, Pune-411 037, Maharashtra and which is assigned the approval mark IND/09/2003/504;



The said model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with maximum capacity of 120kg. and minimum capacity of 500g. The verification scale interval (e) is 10g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230 V, 50 Hz alternative current power supply;

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 50kg to 300kg., with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(343)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 84

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 87 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 594 (Notification No. F.No. WM-21(162)/2003) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 3rd March, 2004

S.O. 594: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is along with the model approval and test results, granted by the National Standards Commission, Australia is satisfied that the models described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of model of the Liquefied Petroleum Gas fuel dispensing pump with digital display (hereinafter referred to as the said model) of MR 40p manufactured by M/s Compac Industries Ltd., 52 Walls Road Penrose, Auckland, New Zealand and sold in India by M/s Laycock Engineers Pvt. Ltd., J-19, Udyog Nagar, Rohtak Road, New Delhi-110041 and which is assigned the approval mark IND/13/2003/541;



The technical features of the model are as follows:

Technical features	The model has maximum flow rate 40 litre/min
Volume indication	999.99 litre in increment of 0.01 litre
Price Display	Rs. 999.99
Maximum flow rate	40 litre/minute
Minimum flow rate	4 litre/min
Minimum measure Quantity	2 litre/min
Density range of hydrocarbons measured	0.5 to 20m Pas (at 20^0 C)
Sealing	The mechanical calibrator for the meter and the K-factor switch are both sealed with approved type seals. These seals may carry the mark of verification.
Accuracy class	0.5
Maximum Pressure	26 bar

[F.No. WM-21(162)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 85

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 90 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 585 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 585: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "SNUG" series of High accuracy (Accuracy class II), and with brand name "JADEVER" (hereinafter referred to as the Model), manufactured by M/s Jadever Scale Co., Taiwan, and Marked by M/s Citizen Sales (I) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/414;

The said Model (see figure given above) is a weighing instrument with a maximum capacity of 300g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಪಿ.ಆರ್. 86 ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 92 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 584 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 584: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions.

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "BL" series of High accuracy (Accuracy class II), and with brand name "SHIMADZU" (herein referred to as the Model), manufactured by M/s Shimadzu Corporation, Japan and Marketed by M/s Citizen Scales (I) Pvt. Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/413;

The said Model (See figure given below) is a weighing instrument with a maximum capacity of 620g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50mg. and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value 1×10^k, 2×10^k, or 5×10^k, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 87

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 105 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 602 (Notification No. F.No. WM-21(42)/97) ದಿನಾಂಕ: 05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 5th March, 2004

S.O. 602: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issue and publishes the certificate of approval of the Model of the self-indicating, non-automatic (Conversion Kit for weigh bridge type) weighing instrument with digital indication of "Endeavour" series of medium accuracy (Accuracy class-III) and with brand name "Endeavour" (herein referred to as the Model), manufactured by M/s Endeavour Instruments Pvt. A-1, Anand Chambers, Near High Court, Navrangpura, Ahmedabad-382350 and which is assigned the approval mark IND/09/2003/460;

The said Model (See the figure given below) is a strain gauge load cell based type (conversion kit for weigh bridge) weighing instrument with a maximum capacity of 30 tonne and minimum capacity of 100kg. The verification scale interval (e) is 5 kg. It has a tare device with a 100 percent subtractive retained tare effect. The Light Emitting diode display indicates the weighing result. The instruments operates on 230V, 50Hz alternate current power supply;

Sealing: In addition to sealing stamping plate, sealing is done to prevent the opening machine for fraudulent Practices.



Further, in exercise of the powers conferred by Sub-section (12) of the said Section the Central Government hereby declares that this certificate of approval of the Model shall also cover the weighing instrument of similar make, design, accuracy and performance of same series with maximum capacity ranging between 5 tonnes and 50 tonnes and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 1kg. or more and with 'e' value $1x10^{k}$', $2x10^{k}$ or $5x10^{k}$, k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(42)/97]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 88

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 104 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 595 (Notification No. F.No. WM-21(19)/2002) ದಿನಾಂಕ: 05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 5th March, 2004

S.O. 595: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of model of mechanical counter machine (herein-after referred to as the said model) with brand name "National Scale", manufactured by M/s National, Shivaji Nagar, Savarkundla-364515 (Gujarat) and which is assigned the approval mark IND/09/03/79;

The said model (see the figure given below) is a mechanical counter machine with a maximum capacity of 10kg.



Further, in exercise of the power conferred by sub-section (12) of section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the mechanical counter machines of similar make, accuracy and performance with maximum capacity in the range 500g. to 50kg. manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(19)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 89

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 93 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 579 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 579: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of the self-indicating, non-automatic (Table top-type) weighing instrument with digital indication of "MP" series of special accuracy (Accuracy class I) and with brand name "CHYO" (herein referred to as the said model), manufactured by M/s YMC Limited, Japan and marketed by M/s Citizen Scales (I) Pvt Limited, 3, Pushpanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/408;

The said model (see the figure given above) is a weighing instrument with a maximum capacity of 3100g and minimum capacity of 1g, The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect, The Liquid crystal Diode display indicates the weighing result. The Instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is to be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of said Section the Central Government hereby declares that this certificate of approval of the model is be cover the other weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) not less than 50,000 and 'e' value of 1mg or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 90

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 89 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 598 (Notification No. F.No. WM-21(343)/2002) ದಿನಾಂಕ: 05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 5th March, 2004

S.O. 598: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issue and publishes the certificate of approval of non-automatic (Table top type) weighing instrument with digital indication of "MSTT" series of high accuracy (accuracy class-II) and with brand name "MASTER" (hereinreferred to as the said Model) manufactured by M/s. Ace Corporation, 105, Apsara Apartment Near Apsara Theatre, Gultekdi, Pune-411037, Maharashtra and which is assigned the approval mark IND/09/2003/503;



The said model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 22kg. and minimum capacity of 100g. The verification scale interval (e) is 2g. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230 V, 50 Hz alternative current power supply;

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent Practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50kg, with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(343)/2002]
P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 91

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 103 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 593 (Notification No. F.No. WM-21(72)/2003) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 593: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of model of, Non-automatic weighing instrument (Mechanical Platform machine-pro weight type) with steel yard (hereinafter referred to as the said model) belonging to medium accuracy class (accuracy class-III) and with brand name "THAKUR SCALE", manufactured by M/s Thakur Scale Company, 4623, Ram Nagar, Sultanwind Road, Amritsar, Punjab and which is assigned the approval mark IND/09/2003/540;

The said model is a mechanical type liver based non-automatic weighing instrument (Mechanical Platform machine-Pro weight type) with steel yard maximum capacity 300kg, minimum capacity 2kg, and belonging to medium accuracy class (accuracy class-III). The value of verification scale interval 'e' is 100g.



Further, in exercise of the power conferred by sub-section (12) of section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg. and up to1000kg. and with number of verification scale, interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value of $1x10^k$, $2x10^k$, or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(72)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 92

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 106 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 600 (Notification No. F.No. WM-21(200)/2001) ದಿನಾಂಕ: 05.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 5th March, 2004

S.O. 600: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over period of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) of section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of counter machine (herein referred to as the Model), with brand name "SHIVSHAKTI" manufactured by M/s Shivshakti Scale Industries, Manibhai Road, Savarkundla-364515 (Gujarat) and which is assigned the approval mark IND/09/2003/36;

The said Model (See the figure given below) is a counter machine. Its maximum capacity is 10kg.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby, declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity in the range of 500g to 50kg., manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(200)/2001]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 93

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 102 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004


2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 592 (Notification No. F.No. WM-21(81)/2003) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 592: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of model of a counter machine with brand name "MURGA" (herein referred to as the Model), manufactured by M/s Luhar Mulji Naran, Shivaji Nagar, Savarkundla-364515 and which is assigned the approval mark IND/09/2003/474;

The said model (see figure given below) is a counter machine. Its maximum capacity is 5kg.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said section the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 500g to 50kg, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(81)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 94

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 95 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 580 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 580: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "GB" series of high accuracy (Accuracy class II), and with brand name "METTLER" (herein referred to as the said Model), manufactured by M/s Mettler Toledo AG CO Limited, Switzerland and marked by M/s Citizen Scales (I) Pvt Limited, 3, Pushapanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/409;

The said model (see figure given above) is a weighing instrument with a maximum capacity of 3100g and minimum capacity of 5g. The verification scale interval (e) is 100mg. It has a tare device with 100 percent subtractive retained tare effect. The Liquid Crystal Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, sealing is the done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of said Section. The Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಪಿ.ಆರ್. 95 ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 94 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 581 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 16th February, 2004

S.O. 581: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "DJ" series of high accuracy (Accuracy class II), and with brand name "SHINKO" (herein referred to as the Model) manufactured by M/s Shinko Denshi Co. Limited, Japan and Marketed by M/s Citizen Scales (I) Pvt. Limited, 3, Pushpanajali Building, Gaushahla Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/410;

The said model (see figure given below) is a weighing instrument with a maximum capacity of 600g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The Liquid Crystal Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of the said section of the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 96

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 99 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 587 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 587: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "CG" series of special accuracy (Accuracy class I), and with brand name "SHINKO" (hereinafter referred to as the said Model), manufactured by M/s Shinko Deshi Co. Limited, Japan, and Marketed by M/s Citizen Scales (I) Pvt Limited, 3, Pushapanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/416;

The said model (see figure given above) is a weighing instrument with a maximum capacity of 3000g and minimum capacity of 1g. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The Liquid Crystal Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-sections (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) not less than 50,000 ($\geq$50,000) and with 'e' value 1mg or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಪಿ.ಆರ್. 97

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 97 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 13ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 583 (Notification No. F.No. WM-21(58)/2000) ದಿನಾಂಕ: 16.02.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


New Delhi, the 16th February, 2004

S.O. 583: Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (See the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "MK" series of High accuracy (Accuracy class II), and with brand name "CHYO" (herein referred to as the said Model), manufactured by M/s YMC Limited, Japan and marketed by M/s Citizen Scales (I) Pvt Limited, 3, Pushapanjali Building, Gaushala Lane, Malad (East) Mumbai-400097 and which is assigned the approval mark IND/09/2003/412;

The said model (see figure given below) is a weighing instrument with a maximum capacity of 600g and minimum capacity of 200mg. The verification scale interval (e) is 10mg. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply;

Sealing: In addition to sealing the stamping plate, the sealing is be done to prevent the opening of the machine to avoid fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act the Central Government hereby declares that this certificate of approval of the Model is be cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg. to 50mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value $1x10^k$, $2x10^k$, or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(58)/2000]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 98

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 108 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 20ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 685 (E) (Notification No. F.No.25012/67/99-Silk) ದಿನಾಂಕ: 08.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF TEXTILES
New Delhi, the 8th March, 2004

S.O. 658: In exercise of the powers conferred by Sub-Section (6) (b) of Section 4 of the Central Silk Board Act, 1948 (61 of 1948), the Central Government hereby accepts the resignation tendered by Shri K.S. Eshwarappa from the post of Chairman, Central Silk Board with effect from 28.02.2004 (AN). Consequently, he is deemed to have vacated his office with effect from that date.

[F.No. 25012/67/99-Silk]
KIRAN DHINGRA, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 99

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 107 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 31ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 434 (E) (Notification No. 128/2004/ F.No.142/8/2004-TPLನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF FINANCE
(Department of Revenue)
(CENTRAL BOARD OF DIRECT TAXES)
NOTIFICATION
New Delhi, the 11th March, 2004
(INCOME TAX)

S.O. 444(E): In exercise of the powers conferred by section 205 read with sub-section (5) of Section 10BA of the Income-tax Act, 1961 (43 of 1961), the Central Board of Direct Taxes hereby makes the following rules further to amend the Income-tax Rules, 1962, namely:

1. (1) These rules may be called the Income-tax (Seventh Amendment) Rules, 2004
   (2) They shall come into force on the date of their publication in the Official Gazette.
2. In the Income-tax Rules, 1962,-

(a) after rule 16E, the following rule shall be inserted, namely:

"Form of report for claiming deduction under section 10BA.

16F. The report of an accountant which is required to be furnished by the assessee along with the return of Income, under sub-section (5) of section 10BA shall be in Form No. 56H."

(b) in Appendix-II, after Form No. 56G, the following Form shall be inserted, namely:

"FORM NO.56H
[See Rule-16F]
Report under section 10BA of the Income-tax Act, 1961

1. I/ We have examined the accounts and records of..(name and address of the..relating to the assessee with permanent account number) ....business of their undertaking named..engaged in export of hand-made articles or things made of wood as the main raw material during the year ended on the 31st March....................

2. I/ We certify that the deduction to be claimed by the assessee under sub-section (1) of section 10BA of the Income-tax Act, 1961, in respect of the assessment year..................is Rs................which has been determined on the basis of the sale proceeds received by the assessee in convertible foreign exchange. The said amount has been worked out on the basis of the details in Annexure A to this form.

3. I/ We certify that I/ We have collected all the relevant information necessary for computing the deduction allowable under this section and have verified the same with reference to the accounts and records of the assessee.

4. In my/ our opinion and to the best of my/ our knowledge and according to the explanations give to me/ us, the particulars given in the Annexure A are true and correct.

....
Signed
Accountant

Dated:.....................

ANNEXURE-A

[See paragraph 2 of Form 56H]

Details relating to the claim by the exporter for deduction under section 10BA of the Income-tax Act, 1961

1. Name of the assessee:
2. Assessment year:
3. Name of the undertaking:
4. Location and address of the undertaking:
5. Nature of business of the undertaking:
6. Date of commencement of manufacture or production:
7. Number of workers employed by the undertaking:
8. Total turnover of the undertaking:
9. Total profits of the undertaking:
10. Total export turnover of the undertaking:
11. Export proceeds received in convertible foreign exchange in accordance with sub-section 3 of section 10BA, of the undertaking in respect of eligible articles or things:
12. Sale proceeds of the undertaking in respect of eligible articles or things:
13. Please specify

(i) Whether the full consideration in convertible foreign exchange for exports made by the undertaking was brought into India within a period of six months from the end of the previous year. Yes---------No---------

(ii) If not, whether it was brought into India within such further period in the previous year as allowed by the Competent Authority. Yes---------No---------

(iii) Specify the amount and the relevant previous year in case such amount is brought into India in convertible foreign exchange beyond the period of six months from the end of relevant previous year and with the approval of the Competent Authority, where such amount relates to any other previous year. Also state the name of the authority and the period up to which the approval was accorded......................

(iv) Amount of sale proceeds, if any, that are credited to a separate account maintained by the assessee with any bank outside India and the reference number of Reserve Bank of India according permission for the same....................

(v) Whether the main raw material has been imported. Yes---------No---------

14. Please specify whether the assessee has claimed deduction under section 10A or section 10B of the Income-tax Act in any assessment year prior to the assessment year for which the audit report is furnished. Yes---------No---------

    If yes, please specify the assessment year for which the deduction under section 10A or section 10B of the Income-tax Act has been claimed-------------

15. Amount of deduction under section 10BA to which assessee is entitled with the working sheet---
16. Remarks, if any-------------------"

[Notification No. 128/2004/F.No. 142/8/2004-TPL]

CHANDRAJIT SINGH, Under Secy.

Note: The principal rules were published in the Gazette of India, Extraordinary Part-II, Section 3(ii), dated the 26th March, 1962 vide S.O. 969 (E) which was amended from time to time and last amended by Income-tax (6th Amendment) Rules, 2004 vide Notification S.O. No. 52(E) dated: 12-1-2004.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 100

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 109 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 26ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 398(E) (Notification No.F.No.SEBI/LE/4261/2004 ದಿನಾಂಕ:10.03.2004) ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

SECURITIES AND EXCHANGE BOARD OF INDIA
NOTIFICATION
Mumbai, the 10th March, 2004

Securities and Exchange Board of India (Criteria for Fit and Proper Person) Regulations, 2004

S.O. 398(E): In exercise of the powers conferred by section 30 read with Sections 11 (1) and 12 of the Securities and Exchange Board of India Act, 1992 (15 of 1992), the board hereby makes the following regulations, namely:

Short Title and Commencement:

1. (1) These regulations may be called the Securities and Exchange Board of India (Criteria for Fit and Proper Person) Regulations, 2004.

(2) They shall come into force on the date of their publication in the Official Gazette.

Definitions:

2. (1) In these regulations, unless the context otherwise requires,-

(a) "Act" means the Securities and Exchange Board of India Act, 1992 (15 of 1992);

(b) "Board" means the Securities and Exchange Board of India established under section 3 of the Act;

(c) "Intermediary" means a person registered under section 12 of the Act and also a foreign venture capital investor registered with the Board under the Securities and Exchange Board of India (Foreign Venture Capital Investors) Regulations, 2000;

(d) "Relevant regulations" means the regulations as specified in the "Schedule' and any amendment thereto made from time to time;

(e) "Schedule" means a schedule appended to these regulations.

(2) (a) Words and expressions used and not defined in these regulations shall have the meanings, if any, respectively assigned to them under the Act or any amendment thereto or re-enactment thereof.

(b) Words and expressions used and not defined either in these regulations or in the Act, shall have the meanings, if any, respectively assigned to them under the Securities Contracts (Regulation) Act, 1956 or any amendment thereto or re-enactment thereof.

(c) Words and expressions used and not defined either in these regulations, or in the Act or in the Securities Contracts (Regulation) Act, 1956 shall have the meanings, if any, respectively assigned to them under the Companies Act, 1956, or any amendment thereto or re-enactment thereof.

Criteria for determining a 'fit and proper person'

3. (1) "For the purpose of determining as to whether an applicant or the intermediary seeking registration under any one or more of the relevant regulations is a 'fit and proper person', the Board may take account of any consideration as it deems fit, including but not limited to the following criteria-

(a) financial integrity;

(b) absence of convictions or civil liabilities;

(c) competence;

(d) good reputation and character;

(e) efficiency and honesty; and

(f) absence of any disqualification to act as an intermediary as stipulated in these regulations.

(2) A person shall not be considered as a "fit and proper person" for the purpose of grant or renewal of certificate to act as an intermediary or to continue to act as an intermediary under any one or more of the relevant regulations, if he incurs any of the following disqualifications-

(a) the applicant or the intermediary, as the case may be or its whole time director or managing partner has been convicted by a Court for any offence involving moral turpitude, economic offence, securities laws or fraud;

(b) an order for winding up has been passed against the applicant or the intermediary;

(c) the applicant or the intermediary, or its whole time director, or managing partner has been declared insolvent and has not been discharged;

(d) an order, other than an order of suspension of certificate of registration as an intermediary, restraining, prohibiting or debarring the applicant or the intermediary, or its whole time director or managing partner from dealing in securities in the capital market or from accessing the capital market has been passed by the Board or any other regulatory authority and a period of three years from the date of the expiry of the period specified in the order has not elapsed;

(e) an order cancelling the certificate of registration of the applicant or the intermediary has been passed by the Board on the ground of its indulging in insider trading, fraudulent and unfair trade practices or market manipulation and a period of three years from the date of the order has not elapsed;

(f) an order withdrawing or refusing to grant any license/ approval to the applicant or the intermediary, or its whole time director or managing partner which has a bearing on the capital market, has been passed by the Board or any other regulatory authority and a period of three years from the date of the order has not elapsed;

Provided that the Board may for reasons to be recorded in writing, allow the applicant or the intermediary, to seek registration before the lapse of three years as specified in clauses (d), (e) and (f).

(g) the applicant or the intermediary, is financially not sound;

(h) any other reason, to be recorded in writing by the Board, which in the opinion of the Board, renders such applicant or the intermediary, or its whole time director or managing partner unfit to operate in the capital market.

Explanation: 1. For the purpose of this regulation 'whole time director', in relation to-

(a) a mutual fund shall mean its sponsors, directors, principal officers, trustees or whole time directors of its asset management company;

(b) a venture capital fund,

i. where such venture capital fund is a trust, shall mean the whole time directors of its trustee company.

ii. where such venture capital fund is a body corporate, shall mean its whole time directors or the trustees.

2. For the purpose of clause (g) of sub-regulation (2), the Board shall take into consideration the capital adequacy or networth of the applicant or the intermediary, wherever it has been so specified in the relevant regulations;

Amendment of relevant regulations.

4. The relevant regulations specified in the Schedule shall be amended in the manner stated therein.

THE SCHEDULE

[See regulation 3]

1. Amendment of Securities and Exchange Board of India, (Bankers to an Issue) Regulations, 1994.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the bankers to an issue under these regulations".

2. Amendment of Securities and Exchange Board of India, (Collective Investment Schemes) Regulations, 1999.

After regulation 9, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

9A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the Collective Investment Management Companies under these regulations".

3. Amendment of Securities and Exchange Board of India, (Credit Rating Agencies) Regulations, 1999.

After regulation 5, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

5A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the credit rating agencies under these regulations".

4. Amendment of Securities and Exchange Board of India, (Custodian of Securities) Regulations, 1996.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the custodians of securities under these regulations".

5. Amendment of securities and Exchange Board of India, (Debenture Trustees) Regulations, 1993.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the debenture trustees under these regulations".

6. Amendment of Securities and Exchange Board of India, (Depositories and Participants) Regulations, 1996.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the depositories and participants under these regulations".

7. Amendment of Securities and Exchange Board of India, (Foreign Institutional Investors) Regulations, 1995.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the foreign institutional investors under these regulations".

8. Amendment of Securities and Exchange Board of India, (Foreign Venture Capital Investors) Regulations, 2000.

After regulation 4, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

4A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the foreign venture capital investors under these regulations".

9. Amendment of Securities and Exchange Board of India, (Merchant Bankers) Regulations, 1992.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the merchant bankers under these regulations".

10. Amendment of Securities and Exchange Board of India, (Mutual Funds) Regulations, 1996.

After regulation 7, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

7A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the mutual funds under these regulations".

11. Amendment of Securities and Exchange Board of India, (Portfolio Managers) Regulations, 1996.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the portfolio managers under these regulations".

12. Amendment of Securities and Exchange Board of India, (Registrars to an Issue and Share Transfer Agents) Regulations, 1993.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the registrars to an issue and share transfer agents under these regulations".

13. Amendment of Securities and Exchange Board of India, (Stock Brokers and Sub-Brokers) Regulations, 1992.

After regulation 5, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

5A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the stock brokers, sub-brokers, trading members and clearing members under these regulations".

14. Amendment of Securities and Exchange Board of India, (Underwriters) Regulations, 1993.

After regulation 6, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

6A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the underwriters under these regulations".

15. Amendment of Securities and Exchange Board of India, (Venture Capital Funds) Regulations, 1996.

After regulation 4, the following regulation shall be inserted, namely:

"Applicability of Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004.

4A. The provisions of the Securities and Exchange Board of India (Criteria for fit and proper person) Regulations, 2004 shall, as for as may be, apply to all applicants or the venture capital funds under these regulations".

[F.No. SEBI/LE/4261/2004]
G.N. BAJPAI, Chairman

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 101

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 110 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 10ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(i)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ G.S.R. 182(E) (Notification No.F.No.4-41/2003-U.I) ದಿನಾಂಕ:10.03.2004)ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF HUMAN RESOURCE DEVELOPMENT
(Department of secondary and Higher Education)
NOTIFICATION
New Delhi, the 10th March, 2004
UGC (Returns of information by Universities) Rules, 2004

G.S.R. 182(E): In exercise of the powers conferred by Sub-section (1) read with (f) and (k) of Sub-section (2) of Section 25, of the University Grants Commission Act, 1956 (3 of 1956), and in supersession of the University Grants Commission (Returns of Information by Universities) Rules, 1979, the Central Government hereby makes the following rules, namely:

1. Short title and Commencement:

(i) These rules may be called the University Grants Commission (Returns of Information by Universities) Rules, 2004.

(ii) They shall come into force on the date the their publication in the Official Gazette.

2. Returns and Information to be furnished:

Every university shall, on or before the date specified by the University Grants commission every year in this behalf. Furnish the following returns and information to the Commission, namely:

(a) up-to-date copies of:

(i) the Act, statutes and Ordinances;
(ii) rules for grant-in-aid to the colleges belonging to or affiliated to it;
(iii) rules of the inspection of colleges belonging to or affiliated to it;
(iv) rules for affiliation of colleges;
(v) Total number of colleges affiliated to the university.

(b) reports on the inspection of colleges belonging to or affiliated to it;
(c) minimum working days in the university period of vacations, examination days and the number of days when actual teaching is conducted exclusive of the days for the preparation for examinations:
(d) where there are admission tests, a note indicating the minimum criteria laid down alongwith admission policy and variations, if any, form the basis specified for admission;
(e) the statistics of the students admitted below the minimum qualifications referred to in clause (d);
(f) residential accommodation for students;
(g) residential accommodation for staff;
(h) the annual accounts of the university including the audit report;
(i) the total staff strength in different categories with qualifications and research experience. (This could be intimated by the university once in every five years, with changes, if any, to be intimated every year);
(j) students strength at various stages;
(k) teacher-pupil ratio;
(l) results of examinations with divisions;
(m) Status of NAAC accreditation of the university and its affiliated colleges.

(n) Status of compliance with various UGC regulations.
(o) Status of off-campus centers/study centers and distance education centers being operated by the university.
(p) Self-financing courses being offered by the university;
(q) Teaching staff-non-teaching staff ratio.
(r) Position of vacancies against teaching staff posts.
(s) Innovation in academies, research and management, if any.
(t) Grants received from UGC/ Central agencies, scheme-wise during the last financial year and position of utilization.
(u) Pending utilization certificate in respect of UGC grants, if any.
(v) Programmes of study being offered in collaboration with any foreign university, whatsoever.

Explanations: For the removal of doubts it is hereby declared that for the purpose of this rule, the term "university" means a university as defined in clause (f) of Section 2 of the University Grants Commission Act, 1956 (3 of 1956), and includes an institution deemed to be a University under Section 3 of the said Act.

Note: The University shall provide all the updated information as contained in the proforma prescribed by the Commission and also the information as detailed out in Para 2 of these rules on its website.

[No. F. 4-41/2003-U.I.]
RAVI MATHUR, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 102

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 111 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 16ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(i)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 363 (E) (Notification No.F.No.11011/6/2000-CF) ದಿನಾಂಕ: 16.03.2004ನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF ROAD TRANSPORT AND HIGHWAYS
NOTIFICATION
New Delhi, the 16th March, 2004

S.O. 363(E): In exercise of the powers conferred by clause (a) of Section 3 of the National Highways Act, 1956 (48 of 1956), the Central Government hereby authorises the Special Land Acquisition Officer, National Highways, P.W.D. Officers, K.R. Circle, Bangalore to perform the functions of competent authority under the said Act with effect from the date of publication of this notification in the Official Gazette, in respect of the stretches from Km. 358/0 to Km. 375/30 of National Highway No. 17, from Km. 743/90 to Km.745/0 of National Highway No. 13, and from Km 328/0 to Km 345/0 of National Highway No.48, in the State of Karnataka falling under the villages specified in the Schedule below, namely:

SCHEDULE

Name of District: Dakshina Kannada Name of State: Karnataka

Sl. No.	Name of Village	Taluk
1	2	3
1.	Surathkal	Mangalore
2.	Idya	Mangalore
3.	Hosabettu	Mangalore
4.	Kulai	Mangalore
5.	Baikaanpadi	Mangalore
6.	Panamboor	Mangalore
7.	Padukodi	Mangalore

1	2	3
8.	Bangra Kulur	Mangalore
9.	Derebail	Mangalore
10.	Kadri	Mangalore
11.	Padavu	Mangalore
12.	Alape	Mangalore
13.	Kannur	Mangalore
14.	Adyar	Mangalore
15.	Arkula	Mangalore
16.	Pudu	Mangalore
17.	Thumbe	Bantwal
18.	Muda	Bantwal

[F.No. 11011/6/2000-CF]
A.V. SINGH, Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 103

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 112 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 28ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಮಾರ್ಚ್, 10ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(i)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ G.S.R. 183(E) (Notification No.4-41/2003-U.1)ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

NOTIFICATION
New Delhi, the 10th March, 2004
UGC (Inspection of Universities) Rules, 2004

G.S.R. 183(E): In exercise of the powers conferred by clause (g) of Sub-Section (2) of Section 25 of the University Grants Commission Act, 1956 (3 of 1956), and in supersession of the University Grants Commission (Inspection of Universities) Rules, 1960, the Central Government hereby makes the following rules:

1. (1) These rules may be called the University Grants Commission (Inspection of Universities) Rules, 2004.

(2) They shall come into force with immediate effect.

2. In these rules unless the contexts otherwise requires:

(a) "Commission" means the University Grants Commission;

(b) "University" means a University established or incorporated by or under a Central Act, a Provincial or a State Act; and includes an institution of higher learning deemed to be a University under Section 3 of the said Act;

(c) "Financial Year" means the year commencing from the 1st April and ending 31st March of the following calendar year; and

(d) "Academic Year" means the academic year of the respective Universities.

3. The Commission may appoint a Committee, wherever or whenever necessary consisting of such persons as it may decide in each case and subject to the provision of rule 6, to examine and report on the financial needs of a University or its standards of teaching, examination and research or both.

For the purpose of inspection, the universities may be categorized as follows:

(i) The universities which have been established during last five years and have not got NAAC accreditation may be inspected by the UGC on annual basis.

(ii) The universities which have been accredited by NAAC may not require further inspection by UGC till the date of accreditation is valid.

(iii) The universities which are older than five years and are not accredited by NAAC may be inspected after two or three years.

3A. "A schedule of inspection of universities during the year shall be prepared/ provided by the Commission to the universities concerned under intimation to the Central Government, every year in the month of January."

4. Before the Commission inspects the University, the Commission shall send to the Vice-Chancellor of the University a questionnaire seeking information on all relevant matters relating to the Department/ Departments or institution/ institutions to be inspected.

5. After receipt of information under rule 4, the Commission shall fix the date of inspection by the Committee and communicate the same to the University concerned.

5A. The Central Government may direct the University Grants Commission to conduct the inspection of a particular university as and when necessary to safeguard the standards of teaching, examination and research.

6. The University shall be associated with the inspection in the following manner, namely:

(a) The University shall nominate not more than three representatives who may include the Vice-Chancellor or the Registrar, the Dean or the Deans of Faculty/ Faculties concerned and such other officers/ teachers of the department/ departments or institutions as may be deputed by the University and their names shall be communicated to the Commission.

(b) The representatives of the University shall be associated with the inspection for such time and in such manner as may be determined by the Committee after consultation with the University.

(c) In carrying out the inspection, the Committee may have discussions with such officer/ teachers and other members of the department(s) or institutions(s) to be inspected as may be considered necessary by the Committee.

7. Within the time limit as may be prescribed by the Commission, the Committee shall report its findings to the Commission.

7A. "Cases of major financial irregularity or violation of standards of teaching, examination and research or both shall be brought to the notice of the University authorities under intimation to the Central Government or the State Government by the Commission."

7B. The defaulting universities would rectify the shortcomings noticed and brought to their notice by the Commission within a period of three months.

8. "The failure on the part of University to rectify such shortcomings within the time period stipulated by the UGC shall render the University to get derecognized under Section 12B."

[No.F. 4-41/2003-U.I]
RAVI MATHUR, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 104

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 114 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 29ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ, 12ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 189(E) (Notification No.24026/12/2003) ದಿನಾಂಕ:12.02.2004ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF HEALTH AND FAMILY WELFARE
(Department of Family Welfare)
NOTIFICATION
New Delhi, the 12th February, 2004

S.O. 189(E): In exercise of the powers conferred by Section 4(2) (vi) of the Pre-conception and Pre-natal Diagnostic Techniques (Prohibition of Sex Selection) Act, 1994, the Central Supervisory Board has specified as follows:

"any other indication of possible genetic disease/ anomaly in the foetus such as sporadic genetic disease in the couple, a positive screening test for carrier status or positive screening test for genetic disease/congenital anomaly in pregnancy etc."

[F.No. 24026/12/2003-PNDT]
NAVREET SINGH KANG, Jt. Secy.

Foot Note: This is the first Notification issued in exercise of the powers conferred by Section 4(2) (vi) of the Pre-conception and Pre-natal Diagnostic Techniques (Prohibition of Sex Selection) Act, 1994.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 105

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 113 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 29ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ, 4ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 161 (Notification No.F.No.17-13/2003-SD.IV) ದಿನಾಂಕ: 04.02.2004ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF AGRICULTURE
(Department of Agriculture and Co-operation)
NOTIFICATION
New Delhi, the 4th February, 2004

S.O. 161(E): In exercise of the powers conferred by section 5 of the Seeds Act, 1966 (54 of 1966), the Central Government, after consultation with the Central Seed Committee, being of the opinion that it is necessary and expedient to regulate the quality of the seeds of the varieties specified in column (2) of the Table below of the kinds specified in corresponding entries in column (3) of the said Table, to be sold for the purpose of agriculture, hereby declares that the said varieties of seeds shall be the notified varieties for the whole of India, for the purpose of the said Act, for a period of fifteen years from the date of publication of this notification in the Official Gazette namely:

TABLE

S.No.	Kind	Variety
1	2	3
1.	Barley	RD-2592
2.	Barley	RD-2624
3.	Paddy	MTU-1031 (Tholakari)
4.	Paddy	MTU-1032 (Godavari)
5.	Paddy	Shanthi (IET-12884)
6.	Paddy	JGL-1798
7.	Paddy	JGL-384
8.	Paddy	CSRC(S) 2-1-7 (IET-13428)
9.	Paddy	CSR-23 (CSR-89IR-5) (IET-13769)
10.	Paddy	HPR-1156 (IET-16007)
11.	Paddy	PNR-546 (IET-11347)
12.	Paddy	Kali Khasa
13.	Paddy	Swati (IET-12888)
14.	Paddy	GR-104
15.	Maize	Sakthiman-2
16.	Maize	Sheetal
17.	Maize	Jawahar Makka-216
18.	Maize	Pusa Extra Early Hybrid Makka-5 (AH-421)
19.	Maize	Pratap hybrid maize-1 (EH-50802)

1	2	3
20.	Wheat	PBW 502
21.	Wheat	Poorva (HD 2824)
22.	Wheat	RAJ 4037
23.	Wheat	VL Gehun 832
24.	Bajra	GHB-577
25.	Sorghum	Pratap Jawar-1430 (SPV-1430)
26.	Little Millet	SABARA (OLM-20)
27.	Proso Millet	GPUP-21
28.	Foxtail Millet	Pratap Kangni-1 (SR-51)
29.	Green Gram	Kamadeva (OUM-11-5)
30.	Green Gram	OBGG-52
31.	Green Gram	Muskan (MH 96-1)
32.	Black Gram	Goutham (WBU-105)
33.	Black Gram	Shekhar-3 (KU-309)
34.	Gram	Anuradha (WBG-39/2)
35.	Pigeon pea	Pusa-992
36.	Pigeon pea	GT-101
37.	Moth bean	RMO-423
38.	Rice bean	RBL-6
39.	Sesame	Chandana (JCS-94)
40.	Sesame	Prachi (ORM-17)
41.	Castor	Kiran (PCS-136)
42.	Castor	Haritha (PCS-124)
43.	Cotton	Veena
44.	Cotton	PKV DH-1 (AKDH-7)
45.	Cotton	PKV Hy-5 (CAHH-99)
46.	Cotton	PA-255 (Parbhani Turab)
47.	Cotton	NH-545
48.	Groundnut	TG-37-A
49.	Groundnut	TPG-41
50.	Linseed	JLS-27 SUYOG (SLS-27)
51.	Soyabean	MAUS-81
52.	Sunflower	SH-416
53.	Sunflower	PSFH-118
54.	Fieldpea	ADARSH (IPF 99-25)
55.	Sugarcane	Shyama (Co94008)
56.	Sugarcane	Madhuri (Co394164)
57.	Sorghum (Fodder cum grain type)	K-11
58.	Bajra Napier Hybrid Grass	KKM-1 (ACK-2)
59.	Cauliflower	Pusa Snowball K-25 (Kt-25)

[F.No. 17-13/2003-SD.IV]

ASHISH BAHUGUNA, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ಕೆ. ನೀಲಕಂಠಚಾರ್,

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 106

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 115 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 29ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಜನವರಿ 31ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 221 (Notification No.228/118/2003-DSPE) ದಿನಾಂಕ: 20.01.2004ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

CABINET SECRETARIAT

New Delhi, the 20th January, 2004

S.O. 221: In exercise of the powers conferred by Sub-section (I) of Section 5 read with Section 6 of the Delhi Special Police Establishment Act, 1946 (Act No. 25 of 1946), the Central Government with the consent of the State Government of Karnataka vide Notification No. HD 187 PCR 2003 dated: 05-09-2003, hereby extends the powers and jurisdiction of the members of Delhi Special Police Establishment to the whole of the State of Karnataka for investigation of offences punishable under Section 120-B read with 420 of IPC, against (1) Sh. Ashok Muthana, Managing Director, (2) Sh. Bishwajith Ghosh, Incharge of the Corporate Office and (3) Sh. M. Ram Kumar, Asst. Finance Controller of M/s Fidelity Industries Ltd., Chennai and any other public servants, or persons in relation to, or in connection with the said offences, and any other offences committed in the course of the same transaction or against out of the same facts.

[No. 228/118/2003-DSPE]
SHUBHA THAKUR, Under Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 107

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 116 ಕೇನಿಪ್ರ 2004, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 29ನೇ ಜೂನ್, 2004

2004ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 6ರ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ವಾರದ ಗೆಜೆಟ್‌ನ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.168(E) (Notification No.TC-1/2001/223/1) ದಿನಾಂಕ: 05.02.2004ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF RAILWAYS

(Railway Board)

NOTIFICATION

New Delhi, the 5th February, 2004

S.O. 168(E): In exercise of the powers conferred by sub-section (1) of Section 89 of the Railways Act, 1989 (No. 24 of 1989), the Central Government, being satisfied that it is necessary that the goods booked by trains intended solely for the carriage of goods to any Railway station should be removed without delay from such Railway Station and having regard to the factors specified in the first proviso to that sub-section hereby declares the following Railway Stations as 'Notified Stations' for the purpose of removal of goods without delay from such stations for a period of six months with effect from 25.02.2004 namely:

South Western Railway

236. Baiyappanahalli
237. Bangalore City (Parcel)
238. Belgaum
239. Bellary
240. Bijapur
241. Davanagere
242. Gadag
243. Hospet
244. Hubli
245. Hubli (parcel)
246. Koppal
247. Mysore
248. New Mysore Goods Terminal
249. Sanvordem (Kudachere)
250. Satellite Goods Terminal/ White field
251. Shimoga Town
252. Tinaighat

[No. TC-I/2001/223/1]
SHIVKUMAR CHOWDHRI, Executive Director,
Traffic Comml. (Rates) Railway Board.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ಕೆ. ನೀಲಕಂಠಚಾರ್,
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 108